## What is claimed is:

- 1. A wall sconce comprising:
  - (a) a wall mount;
  - (b) means for mounting said wall mount on a wall;
  - (c) a cavity in said wall mount;
  - (d) an electric candle supported by said mount;
- (e) at least one battery in said cavity in said wall mount; and
- (f) electrical conductive means connecting said at least one battery to said electrified candle.
- 2. The wall sconce of Claim 1 wherein said at least one battery comprises at least two batteries for producing different voltages, and switch means for supply said different voltages to said electrified candle.
- 3. The wall sconce of Claim 1 including diffuser means surrounding said electrified candle for diffusing any bright spot of light produced by said electrified candle.
- 4. A ceiling mounted chandelier comprising:
  - (a) a body having a cavity;
  - (b) a plurality of arms connected to said body, said arms having cavities;
  - (c) electrified candles mounted on said arms; and

- (d) at least one battery mounted in at least one of said cavities and electrically connected to said electrified candles.
- 5. The chandelier of Claim 4 wherein said battery is located in said body cavity.
- 6. The chandelier of Claim 4 wherein said battery is located in at least one arm cavity.
- 7. The chandelier of Claim 4 including a medallion mounted to a ceiling, said medallion having a cavity and at least one battery positioned in said medallion cavity.
- 8. A ceiling mounted chandelier comprising:
  - (a) a body having a cavity;
  - (b) a plurality of arms connected to said body;
  - (c) electrified candles mounted on said arms; and
  - (d) at least one battery mounted in said body and electrically connected to said electrified candles.
- 9. An electric fixture comprising:
- (a) means for mounting said electric fixture on a wall or ceiling;
- (b) support structure for supporting at least one electrified candle;

- (c) a cavity in said support structure;
- (d) at least one battery positioned in said cavity; and
- (e) electrically conductive means connecting said battery to said electrified candle.
- 10. The electric fixture of Claim 9 wherein said at least one battery comprises battery means for supplying different voltages to said electrified candle.
- 11. An electric candle comprising:
  - (a) a body portion;
  - (b) said body portion having an upper end; and
- (c) an electric bulb or LED positioned in said upper end so as to project light through at least a portion of said upper end to diffuse the light in passing through said upper end.
- 12. The electric candle of Claim 11 wherein a battery is positioned with said body portion.
- 13. The electric candle of Claim 11 wherein said upper end is composed of a plastic portion and a wax portion.